	Application No.	Applicant(s)	
Notice of Allowability	09/682,934	AVINASH, GOPAL	В.
	Examiner	Art Unit	
	Shefali D. Patel	2624	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>an amendment filed on 9/5/06.</u>			
2. The allowed claim(s) is/are <u>1-3,5-12 and 14-20</u> .			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS.(as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	5 Making of Informal D	-AA A1iAi	
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal P6. ☐ Interview Summary	• •	
	Paper No./Mail Dat	e	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🔲 Examiner's Amendr	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stateme	ent of Reasons for Allo	owance
C. Diological material	9.		

Application/Control Number: 09/682,934

Art Unit: 2624

DETAILED ACTION

Response to Amendment

1. The amendment was received on September 5, 2006.

Response to Arguments

2. Applicant's arguments, see Remarks on pages 13-15, filed on September 5, 2006 have been fully considered and are persuasive. The rejection has been withdrawn.

Allowable Subject Matter

- 3. Claims 1-3, 5-12 and 14-20 are allowed and re-numbered to 1-18.
- 4. The following is an examiner's statement of reasons for allowance:

The instant invention defines a method of contrast matching a first image and a second image. The claimed invention distinguishes over the prior art by the manner in which the adjusted image is formed having a contrast that better match the contrast of the first image as viewed on a monitor. The claimed combination allows for improving a method of contrast matching a first image and a second image. Contrast matching is conventional in the art. However, the prior art of record fails to teach operating a controller to generate an image ratio of said first image and said second image, wherein said image ratio has a numerator representing said first image and a denominator representing said second image, operating said controller to regularize said image ratio by adding a constant to said denominator to form a regularized image ratio, operating said controller to filter said regularized image ratio to form a filtered ratio; and operating said controller to multiply said second image by said filtered ratio to form an adjusted image having a contrast that better matches the contrast of said first image as viewed on a monitor. These elements in combination with all of the other elements of the claims are not taught or fairly suggested in the prior art of record. The dependent claims 2-3, 5-9, 11-12, 14-17 and 19-20 are allowed for the same reasons.

Application/Control Number: 09/682,934

Art Unit: 2624

Any comments considered necessary by applicant must be submitted no later than the payment of

Page 3

the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such

submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Shefali D. Patel whose telephone number is 571-272-7396. The examiner can normally be

reached on M-F 8:00am - 5:00pm (First Friday Off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Jingge Wu can be reached on (571) 272-7429. The fax phone number for the organization where this

application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be obtained

from either Private PAIR or Public PAIR. Status information for unpublished applications is available

through Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer

Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR

CANADA) or 571-272-1000.

Shefali D Patel Examiner

Art Unit 2624

sdp

MATTHEW C. BELLA SUPERVISORY PATENT EXAMINER

Marker (Bella

TECHNOLOGY CENTER 2600